Hn evaluation of the background in health education of secondary school teachers as compared with the background expected by parents

thesis 1949

Hudson, R. H

FOR REFERENCE

De Not Take From This Reem

BOSTON UNIVERSITY SCHOOL OF EDUCATION

Ed.

LIBRARY

Thesis
Hudson, R.H.
1949

The Gift of Ralph Herbert Hudson

FOR REFERENCE
Do Not Take From This Room

212 55

BOSTON UNIVERSITY SCHOOL OF EDUCATION

Sec. 10 1

THESIS

AN EVALUATION OF THE BACKGROUND IN HEALTH EDUCATION
OF SECONDARY SCHOOL TEACHERS AS COMPARED WITH THE
BACKGROUND EXPECTED BY PARENTS

Submitted by
Ralph Herbert Hudson
(B.S. in Ed., Boston University, 1948)

In partial fulfillment of the requirements for the degree of Master of Education


1949

School of Education Library English Programme Programm

Leslie W. Irwin, Professor of Health and Physical Education. FIRST READER:

Arthur G. Miller, Assistant Professor in Physical Education. SECOND READER:

Charles D. Merrill, Instructor in Health and Physical Education. THIRD READER:



ACKNOWLEDGMENT

The author wishes to express his appreciation to Dr. Leslie W. Irwin for his encouragement and valuable assistance in the conduct of this thesis.




TABLE OF CONTENTS

CHAPTER	· · · · · · · · · · · · · · · · · · ·	PAGE
I	STATEMENT AND BACKGROUND OF THE PROBLEM	1
II	ANALYSIS OF DATA	9
III	CONCLUSIONS AND RECOMMENDATIONS	26
	BIBLIOGRAPHY	29
	APPENDIX	
	TEACHERS' CHECK LIST	34
	PARENTS' CHECK LIST	35



LIST OF TABLES

TABLE		PAGE
I	BASIC HEALTH CONTENT COURSES TAKEN BY THE ONE HUNDRED TEACHERS ANSWERING THE QUESTIONNAIRE	11
II	RELATED HEALTH COURSES TAKEN BY THE ONE HUNDRED TEACHERS ANSWERING THE QUESTIONNAIRE	14
III	PROFESSIONAL HEALTH COURSES TAKEN BY THE ONE HUNDRED TEACHERS ANSWERING THE QUESTIONNAIRE	17
IV	SAFETY EDUCATION COURSES TAKEN BY THE ONE HUNDRED TEACHERS ANSWERING THE QUESTIONNAIRE	20
V	BACKGROUND EXPECTED BY PARENTS AS EXPRESSED BY THE SIXTY PARENTS ANSWERING THE QUESTIONNAIRE	21
VI	GRAPH OF PRESENT HEALTH BACKGROUND OF SECONDARY SCHOOL TEACHERS	23
VII	GRAPH OF HEALTH BACKGROUND WHICH PARENTS EXPECT TEACHERS TO POSSESS	24



AN EVALUATION OF THE BACKGROUND IN HEALTH EDUCATION OF SECONDARY SCHOOL TEACHERS AS COMPARED WITH THE BACKGROUND EXPECTED BY FARENTS


CHAPTER I

STATEMENT AND BACKGROUND OF THE PROBLEM

Introduction.

The importance of Health and Health Education in the school curriculum is being more and more emphasized by leading educational authorities. Gradually, we have come to recognize that good health and health habits are basic to educational achievement. Further, we recognize today that the provision of a healthful school environment, or the lack of it, has a great influence on the educational achievements of pupils. This concept makes the whole child the school's responsibility, not just his mind. From this point of view, health and health education become part of every classroom regardless of the subject taught, and every teacher has responsibilities toward providing a healthful school environment.

It must be admitted that many of the physical handicaps to learning, both in the individual and the environment, are beyond correction by the teacher, but it is important that she recognize them and make adjustments




insofar as possible. Chenoweth and Selkirk state that the teacher holds the key position in the Mental Hygiene Program. They state further that the teacher is supposed to teach subject matter but is involved in child nature and its understanding. Thus, we have come to recognize that the teacher's responsibility does not end with the presentation of facts or with a formal type of obedience. The end product sought today is responsible citizenship, which means a sound mind in a sound body.

This study will attempt to determine how well our secondary school teachers are prepared by their academic background to provide for the day-by-day healthful school living of pupils. It will further attempt to determine what health background parents expect the teachers to possess. The data will be analyzed in both cases, and compared, to determine to what extent the teacher's background meets the background expected by parents.

Purpose.

The purpose of this thesis is to secure information as to the present background in health education of secondary school teachers and to evaluate their present background in

^{1/} Chenoweth and Selkirk, School Health Problems, F. S. Crofts & Co., New York, 1947, pp. 292-3.



terms of the background parents expect, as a means of determining its adequacy. A further purpose is to show possible omissions in the curriculum of teacher training institutions.

Scope.


One hundred secondary school teachers were asked to fill out the questionnaire. They were selected at random from teacher rosters in schools visited, or by other types of random contact. Health and Physical Education teachers were eliminated.

The parents were selected from a list of parents secured from teachers filling out the questionnaire. A total of sixty parents filled out the questionnaire.

Justification.

The Commission on the Reorganization of Secondary Education 1/states that to discharge the duties of home life and benefit from leisure, one must have good health. Further, that health is essential to the vitality of the race and the defense of the nation. Therefore, health education is fundamental. The same Commission made Health the first cardinal principle of education. Hence, the health of the pupils may be considered fundamental to all the activities

^{1/} Commission on the Reorganization of Secondary Education,
 "Cardinal Principles of Secondary Education," Bureau of
 Educational Bulletins, No. 35, 1918.



of the school. There is much evidence showing that this is not true in practice, even when considered in the light of the former interpretation of health, which was the absence of disease. When one considers the present interpretation of health which Turner defines as "that complete fitness of body, soundness of mind, and wholesomeness of emotions which make possible the highest quality of effective living and of service," there is even more conclusive evidence that this is true. This definition makes health a fundamental part of every teacher's classroom, regardless of the subject taught in the classroom. The National Education Association expresses this principle as follows:

> Every high school teacher has a share in the responsibility for the health of her students and she should be trained to meet this responsibility adequately.

This is true because human personality must be considered in the aggregate and not as separate entities.

Child development is the business of all teachers. whether or not they recognize the fact. As Hockett2/ expresses it,

^{1/} C. E. Turner, School Health and Health Education, C. V. Mosby Co., St. Louis, 1947, p. 24.

^{2/} Joint Committee, National Education Association, American Medical Association, Health Education, National Education Association, Washington, D. C., (Rev.) 1941, p. 303.

3/ R. M. Hockett (Ed.), Teachers' Guide to Child Development,

Calif. State Printing Office, Sacramento, 1930, p. 1.

.

ξ (

¢ Y

.

.

4

\$

.

For children will always grow, in the sense that they become different from the individuals they were at an earlier stage, in spite of schools, homes, good or bad conditions surrounding them. They will grow toward one sort of adulthood or another. It is because we have assumed the need for guiding this growth that schools have been organized and teachers appointed. The word development implies growth toward certain desirable goals.

The teacher, in guiding pupils in growth toward desirable goals, must have an understanding of what growth implies and the factors that influence it both positively and negatively. Carmichael states that in the guidance and training of children, society is modifying the context in which the child develops. Thus, the teacher's positive modification of the context will be limited to the extent of her understanding of the factors that will result in the type of health defined by Turner. 2/

Kingsley states that the teacher should be guided by the mental hygiene point of view. The emotional tone of the classroom is one of the most neglected factors in education. It has been clearly established that it interferes with the ability to think clearly, and thus to learn; also, it is likely to be reflected in physical functioning. This may further influence sleeping habits and thus add fatigue

^{1/} L. C. Carmichael, et al, Manual of Child Psychology, John Wiley & Sons, Inc., New York, 1946, p. 5. 2/ C. E. Turner, loc. cit.

^{3/} H. L. Kingsley, The Nature and Conditions of Learning, Prentice-Hall, Inc., New York, 1946, p. 414.

· ·

-- v

· ·

*

· ·

to tension. Hence, the teacher can only begin to deal with the day-to-day healthful living of students when guided by the mental hygiene point of view and an understanding of the factors that produce emotional stress; or, stated another way:

Education is life. Today the school represents a center of child guidance in living. This guidance is concerned with the growth and development of the whole child. It must, therefore, be concerned with all the factors in his environment which may exert influence on his growth and development. If unity of living is to be preserved for children, education must aim to modify daily living for children, not only during the hours spent in school, but also during the hours spent outside the school, in the home and community. 2/

Hence, the study is justified because all teachers should be conscious of the health purposes of education and the necessity for their participation in achieving these purposes.

A further justification of this study is the lack of research. No other thesis of this type could be found in the usual sources. The only related study found was: "A Study of the Health Knowledge of Elementary School Teachers" by Joseph W. Moran, Michigan, 1940.

^{1/} M. E. Breckenridge and E. L. Vincent, Child Development, W. B. Saunders Co., Philadelphia, 1943, p. 62.

^{2/} Joint Committee, National Education Association, American Medical Association, op. cit., p. 34.

÷

. (

.

*

* (t

Definition of Terms.

To facilitate interpretation of this thesis, the following terms are defined:

Health education is used in its broader sense, i.e., as a factor in the development and maintenance of the health of the individual, and the group reaches far beyond the community to include state, national and international health. It involves habits, attitudes, practices, appreciations of health and healthful living so far as they are related to and affect the health of the world. It should not be confused with "health instruction," which is a part, but only one phase, of health education.

Health education background is herein defined as having come through health content, related health, safety or professional health courses taken in secondary schools, colleges, universities, university extension courses, etc.

Health is defined as "that complete fitness of body, soundness of mind, and wholesomeness of emotion which makes possible the highest quality of effective living and of service."

Growth and development is defined as that integrated type, including physical, mental, emotional development, resulting in the kind of person who has the type of health defined above.

^{1/} C. E. Turner, loc. cit.

4

4

. . .

· ·

ζ

,

c - c

,

•

• • •

- ,

Mental health is defined as wholesome habits of dealing with annoying and troublesome situations.

Healthful school living is defined as including the plans, procedures and activities involved in the provision of conditions within the school which are most conducive to the maintenance of optimum health on the part of students and personnel. It includes a wholesome and favorable environment, school organization for healthful school living, satisfactory pupil relationship, ample relaxation and recreation, and a safe school environment.

Summary.

This brief background states the purpose of the study, which is to evaluate secondary school teachers' backgrounds in health education in terms of the backgrounds expected of them by parents, and further, to show possible curriculum omissions by teacher training institutions. One hundred teachers from various secondary schools were contacted to secure information as to their present backgrounds. Sixty parents were contacted, the names being selected from a list of names secured from the teachers. The study is justified because of the teacher's responsibility to the health purposes of education, and the lack of any previous studies. To facilitate interpretation, the terminology is herein defined.

· · · · · 1 **\$** *

CHAPTER II


ANALYSIS OF DATA

Introduction.

For the purposes of this study, the field of Health was divided into course areas. Such courses as relate to personal health and personal health knowledge were grouped under the title "Basic Health Content Courses." Those with health implications were listed under the title "Related Health Courses. Professional health courses were listed under the heading "Professional Health Education." Safety Education, which is closely related to Health and usually taught in conjunction with it, was listed under the title "Safety Education." Provision was made in each case for courses with different titles from those on the questionnaire by including the word "Other" under each grouping. Provision was also made on the questionnaire for indicating at what stage of the teacher's preparation the courses were taken, i.e., high school, college undergraduate, college graduate, and others such as university extension, etc.

The questionnaire was given to one hundred (100) teachers. In each case, a personal contact was made. Thus, a 100% return was obtained.

The questions on the questionnaire for parents were drawn to cover the areas of preparation included in the



teachers' questionnaire. A list of parents' names was obtained from the teachers interviewed, and sixty of them, selected at random, were asked to fill out the questionnaire. In each case a personal contact was made and a 100% return obtained. It was made clear to the parents that they were checking for general health knowledge of all teachers with the exception of health teachers. The sampling was made in Medford, Reading and North Reading, Massachusetts, and Barre, Vermont. From the data obtained, tables were drawn for analysis and comparison.

Present Background of Teachers.

Basic Health Content Courses. Table I shows the teachers' backgrounds in "Basic Health Content Courses" which relate to personal health and personal health knowledge. The table shows the number of teachers taking each course, at what stage of the teacher's preparation the course was taken, both the total hours taken by all teachers and the average number of hours per teacher, and the percentage of the total taking the course.

Examination of Table I on the High School level shows that 34 teachers had a course in Personal Hygiene, but in only one other instance does the number of teachers taking any of the courses exceed five. The range of total hours taken is from 0 to 34, while that of the average number of hours for each of the teachers is from 0 to .34 hours per teacher. At the College Undergraduate level the largest number taking any course was 14 in the case of Personal Hygiene, and the smallest number taking any course was 2




TABLE I

	固	ASIC	BASIC HEALTH	1	CONTENT	NT COURSES ANSWERING 1	041	THE QUE	N BY	EN BY THE ONE QUESTIONNAIRE		HUNDRED		TEACHERS	1 0		
	1-4	High	High School		Und	College Undergraduate	ege aduat	0		College Graduate	t ce		Å,	Other	Other Preparation		
	No	Tot. Hrs.	Ave. Hrs.	28	No	Tot. Hrs.	Ave. Hrs.	86	No	Tot. Hrs.	Ave. Hrs.	26	No	Tot. Hrs.	Ave. Hrs.	88	Total
Anatomy	Н	H	.01	Н	,20	42	, 24	60	Н	m	•03	Н	H	2	.03	Н	11
Physiology 9	6 8	9	60.	6	160	22	• 22	60	2	6	60.	2	0	0	0	0	19*
Nutrition	0	0	0	0	5	15	•15	5	0	0	0	0	0	0	0	0	5
Personal Hyglene	34	本	.34	34	ተፒ	25	. 25	14	0	0	0	0	0	0	0	0	*91
Community Hygiene	m	7	.03	2	7	95	.095	5	H	m	•03	Н	0	0	0	0	0)
Sanitation	0 4	0	0	0	2	7	20.	m	Н	М	.03	Н	0	0	0	0	#
Health Education	2	a	.02	N	0	17	.17	6	0	0	0	0	Н	m	.03	Н	11*
First Aid	0	0	0	0	5	11	.11	2	0	0	0	0	60 I	Red C	Cross	09	* 179
Home Economics	8 3	m	.03	m	7	ね	45°	5	0	0	0	0	Н	77	.03	Н	*
Others	0	0	0	0	S	#	さ。	N	0	0	0	0	0	0	0	0	ณ
			*	-Totals		corrected		for	dupli	duplication	n of	cour	courses.				

7

æ

n q

4

>

7

7

₽- X,


+ +

listed under "Others." The range of total hours taken is from 25 for Personal Hygiene to 4 for courses under "Others." The average for each of the hundred teachers has a range from .25 hours to .04 hours. At the graduate level three teachers was the greatest number taking any of the courses, and in six instances none of the courses were taken by any of the teachers. The range of total hours taken is from 9 hours to 0 hours. The average number of hours for each of the one hundred teachers has a range of .03 hours to 0 hours. Under "Other Preparation," 60 of the teachers had a Red Cross course in First Aid. Otherwise, 3 teachers is the greatest number of teachers taking any of the courses. The range of total hours is from 3 to 0. The average number of hours has a range from .03 hours to 0 hours.

Only in the case of Personal Hygiene, which 34% took, did the percentage of teachers taking these courses in High School exceed 10%. While the percentage of teachers taking Personal Hygiene is relatively high as compared with the others, in each case it was merely a one-hour course.

In the College Undergraduate area, again only the number taking Personal Hygiene exceeded 10%, and its percentage has dropped to 14%.

When the College Graduate level is examined, a total of only six teachers have taken any of the courses, and these in four different areas.



Under Other Preparation, the only indication of other than token preparation is First Aid. In this case, it was a Red Cross course in each instance, taken almost one hundred percent during the war.

Examination of the total percentage of teachers taking the courses at some stage of their development shows that 11% of the total have taken Anatomy, 19% Physiology, 5% Nutrition, 46% Personal Hygiene, 9% Community Hygiene, 4% Sanitation, 11% Health Education, 64% First Aid, 8% Home Economics and 2% Others.

Related Health Courses. Table II shows the teachers' backgrounds in "Related Health Courses," which are courses having health implications if these are pointed out and related to health. The table shows the number of teachers taking each course, at what stage of preparation the course was taken, both the total hours taken by all teachers and the average number of hours per teacher, and the percentage of the total taking the course.

Examination of Table II at the High School level shows 40 teachers taking a course in General Science. In only one other instance, Biology, were any of the courses taken. The range of total hours is from 40 hours to 0 hours. The average number of hours for each of the one hundred teachers has a range from .40 hours to 0 hours. At the College Undergraduate level the greatest number taking any

. · -* , . 4 · · *

TABLE II

RELATED HEALTH COURSES TAKEN BY THE ONE HUNDRED TEACHERS ANSWERING THE QUESTIONNAIRE

*-Totals corrected for duplication of courses.



of the courses was 26, in the case of Biology, and the smallest number was 2, taking courses listed under "Others."

The range of total hours is from 96 to 6. The average number of hours for each of the one hundred teachers has a range from .14 hours to 0 hours. At the Graduate level, the greatest number of teachers taking any of the courses was 5 and the smallest number 0. The range of total hours is from 15 to 0. The average number of hours for each of the one hundred teachers has a range of .15 hours to 0. In only one instance were any of the courses taken under "Other Preparation," this being Child Growth and Development, taken by three teachers for a total of 9 hours and an average for each of the one hundred teachers of .09 hours.

In only two instances were these courses taken in high school - Biology and General Science. 40% had a one-hour course in General Science.

At the undergraduate level, all the courses were taken by some of the teachers, but in only two instances did they exceed 10% - Biology and General Science.

At the graduate level, 3% had a course in General Science, 5% in Child Growth and Development, and 1% Other.

Under "Other Preparation," 3% had had a course in Child Growth and Development.

Examination of the total percentage shows 27% having had a course in Biology, 45% in General Science, 15% in

· · * 4 c · × n. * . х * * Li · · Child Growth and Development, 6% in Bacteriology, and 2% Other.

Professional Health Education. Table III shows the teachers' backgrounds in "Professional Health Education Courses," which are the teachers' preparation for teaching Health and providing a healthful school environment. The table shows the number of teachers taking each course, at what stage of preparation the course was taken, both the total hours taken by all teachers and the average number of hours per teacher, and the percentage of the total taking the course.

Examination of Table III at the High School level shows none of the teachers taking any of the courses. At the College Undergraduate level, five teachers had a course in School Health Education. The total hours taken were 14, with an average for each of the one hundred teachers of .14 hours. At the Graduate level, one teacher had had a course in School Health Education and one in Methods and Materials in Health Education. In each instance it was a three-hour course. Under "Other Preparation," three teachers had had a course in School Health Education for a total of nine hours, and an average for each of the one hundred teachers of .09 hours.

As stated above, none of these courses were taken at the high school level. College undergraduate level shows





TABLE III

PROFESSIONAL HEALTH COURSES TAKEN BY THE ONE HUNDRED TEACHERS
ANSWERING THE QUESTIONNAIRE

	Ĥ	No•	School Health Ed. 0	Community Health Ed. 0	Org.&Adm.of Health Ed. 0	Current Prob.	Methods & Mat'ls in Health Ed. 0	Others 0
	High School		0	0	0	0	0	0
		Tot. Ave. Hrs. Hrs.	0	0.	0	0	0	0
	College Undergraduate	26	0	0	0	0	0	0
		No.	2	0	0	0	0	3
		Tot. Hrs.	14	0	0	0	0	9
		Ave. Hrs.	41.	0	0	0	0	90.
	College Other Graduate Preparation	198	5	0	0	0	0	3
		No.	Н	0	0	0	H	-
		Tot. Hrs.	М	0	0	0	M	2
		Ave. Hrs.	.03	0	0	0	.03	.03
		198	H	0	0	0	-	H
		No	М	0	0	0	0	0
		Tot. Hrs.	0	0	0	0	0	0
		Ave. Hrs.	60	0	0	0	0	0
		88	2	0	0	0	0	0
		Total	0	0	0	0	Н	#



5% taking a course in School Health Education, and 3% Other.

At the graduate level, 1% had a course in Methods and

Materials in Health Education, and 1% Other. Under "Other

Preparation," 3% had a course in School Health Education.

Examination of the total percentage of teachers taking these courses shows 9% taking a course in School Health Education, 0% in Community Health Education, 0% in Organization and Administration of Health, 0% in Current Problems in Health Education, 1% in Methods and Materials in Health Education, and 4% Other.

Safety Education. Table IV shows the teachers' backgrounds in Safety Education, which is related to a healthful school environment. The table shows the total number of teachers taking the course, at what stage of preparation it was taken, both the total hours taken by all teachers and the average hours per teacher, and the total percentage of all teachers taking it.

Examination of Table IV shows none of the teachers taking a course in Safety Education at the High School level. At the College Undergraduate level three teachers had a course in Safety Education. The total number of hours was 7 for an average of .07 for each of the one hundred teachers. Three teachers took Safety Education at the College Graduate level for a total of 9 hours and an average of .09 hours per teacher. Under "Other Preparation," none of the teachers




TABLE IV

SAFETY EDUCATION COURSES TAKEN BY THE ONE HUNDRED TEACHERS
ANSWERING THE QUESTIONNAIRE

	Total	9
	80	0
er ation	Ave. Hrs.	0
Other reparat	Tot. Hrs.	0
Ē,	No	0
	98	m
90 th	Ave. Hrs.	60.
College Graduate	Tot. Hrs.	0
	O N	3
Φ	98	m
42	Ave. Hrs.	20.
College	Tot. Hrs.	2
Un	No	M
	86	0
High School	Ave. Hrs.	0
1gh S	Tot. Hrs.	0
缸	No	0
		afety Education
		Saf



had taken the course.

None of the teachers, as stated above, had had a course in Safety Education in high school. At the college undergraduate level, 3% had had the course. At the college graduate level, also, 3% had taken the course. Under "Other Preparation," we find none of the teachers taking Safety Education.

Background Expected by Parents.

Table V is a compilation of the data gathered from parents. It shows the percentage of parents answering the questionnaire who believe the teacher should have a sound background in each area. In no case did less than 90% of the parents answer in the affirmative.

100% of the parents believe the teacher should have a sound background in Basic Health Knowledge, Personal Hygiene, Knowledge of Local Health Facilities, the Relationship between Health and Physical Exercise, Basic Principles of Child Development, Modern Health Teaching Methods, Provision of a Healthy Classroom Atmosphere, the Provision for Day-to-Day Healthful School Living, and Safety Education. 95.3% believe the teacher should know the Principles of Sanitation. 96.6% believe the teacher should have such a background in Developing Health Attitudes and Quarantine Regulations. 93.3% believe the teacher should be able to




TABLE V

BACKGROUND EXPECTED BY PARENTS AS EXPRESSED BY THE SIXTY PARENTS ANSWERING THE QUESTIONNAIRE

	Yes	No	%
Basic Health Knowledge	60	0	100
Personal Hygiene	60	0	100
Local Health Facilities	60	0	100
Principles of Sanitation	59	1	98.3
Relationship between Physical Exercise and Health	60	0	100
Quarantine Regulations	58	2	96.6
Health Implications of Related Subjects	56	4	93.3
Basic Principles of Child De- velopment	60	0	100
Modern Health Teaching Methods	60	0	100
Principles of Mental Hygiene	59	1	98.3
Developing Health Attitudes	58	2	96.6
Early Symptoms of Illness and Malnutrition	56	4	93.3
Symptoms of Contagious Diseases	54	6	90
Healthy Classroom Atmosphere	60	0	100
Provision of Day-to-Day Healthful School Living	60	0	100
Safety Education	60	0	100



recognize the Early Symptoms of Illness and Malnutrition.

90% believe the teacher should recognize the Early Symptoms of Contagious Diseases.

Comparison of Teachers' Backgrounds with the Backgrounds Expected by Parents.

Table VI is a graph showing the present background of secondary school teachers as shown by the data collected for this study.

Table VII is a graph showing the background which parents expect teachers to possess, as shown by the data collected for this study.

These graphs were drawn for a means of comparison.

In the area of Health Content Courses in Table VI the graph rises above 20% only twice. In the instance of Personal Hygiene this was largely due to a one-hour course in high school, and in the case of First Aid it was almost entirely due to Red Cross courses taken during the war. In comparison, the graph in Table VII never falls below 95% in this area. Thus, there is a large discrepancy between the teachers' backgrounds and those expected by parents, as shown by the data collected.

In the area of Related Health Courses in Table VI the graph rises above 20% only twice, one instance being Biology with 27%, and the other General Science with 45%. In the case of General Science, 40% of the total comes from




TABLE VI

GRAPH OF PRESENT HEALTH BACKGROUND
OF SECONDARY SCHOOL TEACHERS








TABLE VII

GRAPH OF HEALTH BACKGROUND WHICH PARENTS EXPECT
TEACHERS TO POSSESS






a one-hour-per-week high school course. In defining Related Health Courses it was explained that these courses have Health implications only if such implications are pointed out. In comparison, the graph in Table VII is entirely above 90%. Again, there is a large discrepancy between the teachers' backgrounds and those expected by parents, as shown by the data, especially in the area of Child Growth and Development. 15% of the teachers had taken this course, while 100% of the parents expected them to have taken it.

In the area of Professional Health Courses in Table VI the graph at no time rises above 10%. Community Health Education, Organization and Administration of Health Education, and Current Problems in Health Education show a complete lack of preparation. In comparison, the graph in Table VII at no time falls below 90%. Thus, in this area there is an even wider discrepancy in the backgrounds of the teachers and those expected by parents. While 100% of the parents expect the teacher to be familiar with Modern Methods of Teaching Health, only 1% of the teachers have taken such a course.

In the area of Safety Education the graph in Table VI reaches only 6%. In comparison, the graph in Table VII shows that 100% of the parents expect the teacher to have such preparation. Hence, the teachers' backgrounds fail to measure up to parents' expectations, as shown by the data collected.




CHAPTER III

CONCLUSIONS AND RECOMMENDATIONS

Conclusions.

From the statistics gathered from this study it is concluded that:

- 1. Secondary school teachers have a very poor background in Health and Health Education. This is
 especially true when so few schools have a
 Health Specialist on their faculty, and the
 teacher must assume the responsibility if anything at all is to be done along these lines.
- 2. Parents assume that the teachers have a very extensive background in Health Education.
- 3. Parents expect the teacher to be fully qualified to deal with the day-to-day healthful school living of children.
- 4. The background of secondary school teachers is entirely inadequate, as shown by comparison of their present backgrounds and the backgrounds expected by parents.
- 5. A majority of our college graduates lack the background to deal with their own personal health, when one considers that the large




majority of experts feel that knowledge is basic to habit and behavior. When they become classroom teachers, they are even less qualified because they have the in-school healthful living of the pupils as a responsibility.

Recommendations.

- A minimum of basic health essentials for all college students.
- 2. This, plus a minimum of professional health essentials for all future teachers regardless of their major fields.
- 3. Larger emphasis by school systems on in-service training of teaching staffs.

Recommended Future Study.

A study of the backgrounds of secondary school teachers who are graduates of teachers' colleges.



BIBLIOGRAPHY



BIBLIOGRAPHY

- American Association of School Administrators, Health in Schools, 20th Year Book, American Association of School Administrators, Washington, D. C., 1942.
- Book, American Association of School Administrators, Washington, D. C., 1945.
- , Safety Education, 18th Year Book,
 American Association of School Administrators,
 Washington, D. C., 1940.
- Association for Childhood Education, "Growth Through School Living," The Association, Washington, D. C., 1940.
- American Educational Research Association, "Growth and Development," The Association, Vol. 11, No. 5, Washington, D. C., Oct. 1944.
- Bain, F. H., "Mental Hygiene," Journal of School Health, Vol. 16, No. 8, Oct. 1946.
- Bain, W. E., Parents Look at Modern Education, D. Appleton-Century Co., New York, 1935.
- Barach, J. H., "How Fast Should Children Grow?", Hygeia, Vol. 23, No. 3, March 1945.
- Bobbitt, F., Curriculum of Modern Education, McGraw-Hill Book Co., Inc., New York, 1946.
- Breckenridge, M. E. and Vincent, E. L., Child Development, W. B. Saunders Co., Philadelphia, 1943.
- Brown, F. J., Educational Sociology, Prentice-Hall, Inc., New York, 1947.
- Carmichael, L., et al, Manual of Child Psychology, John Wiley & Sons, Inc., New York, 1946.

l a . A . i

- Chenoweth, L. B. and Selkirk, T. K., School Health Problems, F. S. Cross & Co., New York, 1940.
- Commission on Reorganization of Secondary Education, "Cardinal Principles of Secondary Education," Bureau of Educational Bulletins, No. 35.
- Committee Report on the School Child, The School Health Program, White House Conference on Child Health and Protection, The Century Company, New York, 1932.
- Committee Report on Teacher Training, Improvement of Teacher Education, American Council on Education, Washington, D. C., 1946.
- Cromwell, G. E., The Health of the School Child, W. B. Saunders Co., Philadelphia, 1946.
- Davis, J. E., "Why Teach Mental Health in Schools?", Journal of Health and Physical Education, Vol. 16, No. 3, March 1945.
- Douglas, A. A., Modern Secondary Education, Houghton Mifflin Co., New York, 1938.
- Educational Policies Commission, The Purposes of Education in American Democracy, National Education Association, Washington, D. C., 1938.
- Frank, L. K., "Physiological and Emotional Problems of Adolescents," American Journal of Public Health, Vol. 38, No. 6, June 1945.
- "Fundamental Needs of the Child,"

 Mental Hygiene, Vol. 22, No. 3, 1938.
- Gallagher, J. R., "Evaluation of Adolescent's Health,"
 American Journal of Public Health.
- Hardy, M. C. and Hoofer, C. H., Healthy Growth, University of Chicago Press, Chicago, 1936.
- Hathaway, W., "Daylight in the Schoolroom," Journal of School Health, Vol. 17.
- Hiscoch, et al, Ways to Community Health Education, The Commonwealth Fund, New York, 1939.

* ; * * ; C

~ ° ¢

- Hockett, R. M., Editor, Teacher's Guide to Child Development, California State Printing Office, Sacramento, 1930.
- Irwin, L. W., The Curriculum in Health and Physical Education, C. V. Mosby Co., St. Louis, 1944.
- and Reeves, W. C., "Practices Pertaining to Health and Physical Education in Secondary Schools," Research Quarterly, Vol. 11, No. 9, May 1940.
- Joint Committee, National Education Association and American Medical Association, Health Education, National Education Association, Washington, D. C., 1941.
- Kingsley, H. L., The Nature and Conditions of Learning, Prentice-Hall, Inc., New York, 1946.
- Langton, C. V., Orientation in School Health, Harper & Bros., New York, 1941.
- National Conference for Cooperation in Health Education,
 "Report of the Sub-Committee on Environment,"

 Journal of School Health, Vol. 16, No. 2,
 Feb. 1946.
- Patty, W. W., "Trends in School Health Programs," Journal of Health and Physical Education, Vol. 16, No. 4, April 1945.
- Plant, J. S., Personality and the Cultural Pattern, The Commonwealth Fund, New York, 1937.
- Progressive Educational Association, Growth and Development,
 The Basis for Educational Programs, Progressive
 Educational Association, New York, 1936.
- Retlaw, T. R., "Emotional Health in Work and Play," Hygeia, Vol. 25, No. 8, Aug. 1947.
- Rogers, J. F., "What Every Teacher Should Know About the Physical Condition of Her Pupils," U. S. Office of Education, Pamphlet No. 68, Washington, D. C., 1945 (Rev.).
- Seham, M. and Schey, O., "The Influence of Environment on Health and Function," Child Development, Vol. 5, 1934.

¢_____

- Serdenfeld, M. A., "The Role of Mental Hygiene in Health,"

 Journal of Health and Physical Education,

 Vol. 18, No. 5, May 1947.
- Steinhaus, A. H., "The Next Step in Teacher Training,"

 Journal of Health and Physical Education, Vol.

 10, No. 3, March 1939.
- Stoddard, A. J., "How Can Education Improve the Nation's Health?", Journal of Health and Physical Education, Vol. 11, No. 8, Oct. 1940.
- Strang, R. M. and Smiley, D. F., The Role of the Teacher in Health Education, The MacMillan Company, New York, 1941.
- Stombaugh, R. M. and DeYoung, C. A., "Safety in the Teacher Training Program," Safety Education, Vol. 25, No. 5, Jan. 1946.
- Turner, C. E., School Health and Health Education, C. V. Mosby Co., St. Louis, 1947.
- Mosby Co., St. Louis, 1939.
- Troyer, M. E., "New Developments in Teacher Education,"

 American Journal of Public Health, Vol. 35,
 No. 10, Oct. 1945.
- Zachary, C. B., Emotional Conduct in Adolescence, D. Appleton-Century Co., New York, 1940.

· +

r + C= = ; r + C

- c - c

APPENDIX



CHECK LIST (For Teacher Interview)

School:

Jr. High:

Sr. High:

Subject:

Degrees:

College Undergraduate

Graduate

Year of Degree:

College Undergraduate

Graduate

High SchoolUndergraduateGraduateOtherYes HrsYes HrsYes Hrs

Basic Health Content Courses

Anatomy
Physiology
Nutrition
Personal Hygiene
Community Hygiene
Sanitation
Health Education
First Aid
Home Economics

Others

Related Health

Courses

Biology
General Science
Child Growth &
Development
Bacteriology

Others

Professional Health

Courses

School Health Ed.
Comm. Health Ed.
Org. & Adm. of Health
Current Problems
Methods & Materials
in Health Ed.


Others

Safety Education



CHECK LIST FOR PARENTS

Name_	Address
Occupatio	nNo. of Children in School
Please answer the following questions by a yes if you believe a teacher should have such qualifications and by a no if you don't believe the teacher should.	
1.	Should a teacher have a sound background in basic health knowledge?
2.	Should a teacher be familiar with the modern methods of teaching health?
	Should a teacher be able to recognize the symptoms of contagious diseases?
4.	Should a teacher be familiar with the local laws for quarantine of contagious diseases?
5.	Should the teacher have a sound background in personal hygiene?
6.	Should a teacher be familiar with the health implications of such subjects as Biology, General Science, etc.?
7.	Should a teacher have a background in the basic principles of child development?
<u> </u>	Should a teacher understand the principles which create a healthy atmosphere in the school-room?
9.	Should the teacher know the early symptoms of illness and nutritional deficiencies?
10.	Should a teacher understand the basic principles for developing proper attitudes toward eating, sleeping and other physical habits?
11.	Should a teacher be familiar with the health facilities available in the community?
12.	Should a teacher be familiar with the basic principles of public sanitation?



CHECK LIST FOR PARENTS (Cont'a)

